



2021 NORTH AMERICA  
PRODUCT CATALOG







Fenwick's tradition of technology continues to meet the specialized needs of avid anglers. Contemporary fishermen are no longer generalists. They're specialists – bass fisherman, walleye fisherman, fly fisherman, saltwater fisherman -- avid anglers who identify themselves by a specific technique or species. In response, Fenwick's tradition of technology continues to drive its designers, engineers and pro staffers to develop sophisticated fishing rods specifically designed for specialized applications. It's why for over half a century, Fenwick rods have been known, and will always be known, in the words of one of our founders, as "the most thought-out fishing rods in the world."

INDEX

3.	FEATURES	27.	AETOS FLY
6.	WORLD CLASS	28.	HMG FLY
8.	TECHNA PX	29.	EAGLE FLY
10.	ELITE INSHORE <b>NEW</b>	30.	EAGLE XP FLY KIT <b>NEW</b>
13.	ELITE TECH WALLEYE	31.	EAGLE X FLY KIT
14.	HMG <b>NEW</b>	31.	NIGHTHAWK X FLY KIT
16.	HMG INSHORE		
18.	HMX		
22.	EAGLE		



BLANKS

Powerlux<sup>®</sup> Composites **100**

Powerlux<sup>®</sup> Composites **300**

Powerlux<sup>®</sup> Composites **500**

Powerlux<sup>®</sup> Composites **1000**

Powerlux<sup>®</sup> Composites have a high concentration of nano-sized spheres of silica, improving strength and durability over standard composites. The result is an excellent rod design, built for maximum strength and sensitivity.

\*On average, based on controlled lab testing, compared to identically constructed rods without Powerlux<sup>®</sup> resin. Results may vary.

Powerlux<sup>®</sup>

Standard Nano Resin

● Powerlux

● Graphite

● Standard Nano Resin

● Graphite



Blanks spiraled with carbon thread creating unparalleled strength and precise action

SPIGOT FERRULE

Blanks spiraled with carbon thread creating unparalleled strength and precise action



A multi-piece rod that connects with several sections to create different actions



Blanks spiraled with carbon thread creating unparalleled strength and precise action

Classic Fenwick Actions

Time tested and proven from the original graphite rod company.

GUIDES



Beefed up tip-top guide stands up to any challenge



Deep pressed titanium guides help eliminate insert pop-out and are virtually bulletproof!



Stainless steel guides and inserts are lightweight, strong, and corrosion resistant

HANDLES



Technically Advanced Construction handles are proprietary handle designs that are more durable and 'tackier' than traditional cork. Unlike conventional cork, the T.A.C. Handle™ design gives you a solid grip when the handle becomes wet.



Burled cork handle design provides the feel of traditional cork, but is more chip resistant and durable.



The unique hidden handle design has sculpted TAC™ inlays that combine for a feeling of outstanding control, while keeping weight to an absolute minimum.



Quality reel seats from a trusted name in the fishing industry



Premium grade cork handles



Quality reel seats from a trusted name in the fishing industry










# WORLD CLASS®

The Fenwick® World Class® is truly in a class of its own. These rods represent the next generation of high performance rod building with powerful, lightweight blanks that are extremely durable. World Class features Powerlux® 500 resin blanks that evenly disperse tension while under a load, allowing for higher break strengths without increasing overall weight or blank diameters. Pick up a Fenwick World Class series rod and join us in the future of fishing.



- Powerlux® delivers a 30% stronger rod while remaining light weight and well balanced.  
\*On average, based on controlled lab testing, compared to identically constructed rods without Powerlux® resin. Results may vary.
- Fenwick custom ergonomic reel seat
- Fuji® K guides with lightweight FazLite™ inserts
- Premium grade A cork handles
- Limited lifetime warranty



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
CASTING								
WCL68M-FC	1474435	6'8"	1	Medium	Fast	1/4-5/8	8-15	A
WCL68MH-XFC	1474436	6'8"	1	Medium Heavy	Extra Fast	3/8-1	10-17	A
WCL68MH-XFC-2	1474437	6'8"	2	Medium Heavy	Extra Fast	3/8-1	10-17	A
WCL69ML-FC	1474438	6'9"	1	Medium Light	Fast	1/8-5/8	4-10	A
WCL70M-FC	1474441	7'0"	1	Medium	Fast	1/4-5/8	8-15	B
WCL70MH-FC	1474440	7'0"	1	Medium Heavy	Fast	3/8-1	10-17	B
WCL70H-FC	1474439	7'0"	1	Heavy	Fast	1/2-1 1/2	12-25	B
WCL72H-FC	1474442	7'2"	1	Heavy	Fast	1/2-1 1/2	12-25	B
WCL76MH-FC	1474443	7'6"	1	Medium Heavy	Fast	3/8-1	10-20	C
WCL78H-FC	1474444	7'8"	1	Heavy	Fast	1/2-1 1/2	12-25	C
SPINNING								
WCL63ML-XFS	1474445	6'3"	1	Medium Light	Extra Fast	1/8-5/8	4-10	D
WCL66M-XFS	1474446	6'6"	1	Medium	Extra Fast	1/8-3/4	4-12	E
WCL66MH-FS	1474447	6'6"	1	Medium Heavy	Fast	3/8-1	10-20	G
WCL68M-XFS	1474448	6'8"	1	Medium	Extra Fast	1/4-5/8	6-12	G
WCL68M-XFS-2	1474449	6'8"	2	Medium	Extra Fast	1/4-5/8	6-12	G
WCL610ML-XFS	1474450	6'10"	1	Medium Light	Extra Fast	1/8-1/2	4-10	G
WCL610ML-XFS-2	1474452	6'10"	2	Medium Light	Extra Fast	1/8-1/2	4-10	G
WCL70ML-FS	1474456	7'0"	1	Medium Light	Fast	1/8-5/8	4-10	F
WCL70M-FS	1474451	7'0"	1	Medium	Fast	1/4-5/8	6-12	G
WCL70MH-FS	1474453	7'0"	1	Medium Heavy	Fast	3/8-3/4	8-15	G
WCL72M-XFS	1474454	7'2"	1	Medium	Extra Fast	1/4-5/8	6-12	G
WCL72M-XFS-2	1474455	7'2"	2	Medium	Extra Fast	1/4-5/8	6-12	G





# TECHNA<sup>PX</sup><sup>TM</sup>

Back by popular demand. The Fenwick® Techna® marks the return of one of the most popular Fenwick rods ever made. Now featuring Powerlux<sup>TM</sup> resin that evenly supports carbon fibers for a superior strength to weight ratio. By utilizing this advanced resin technology, combined with high quality cork and Seaguide® guides, the Fenwick Techna offers a stronger, more durable rod that maintains the light weight feel and sensitivity Fenwick rods are known for.

Powerlux<sup>TM</sup> Composites **300**

AAA  
CORK HANDLE

Limited  
Lifetime  
WARRANTY

- Powerlux® delivers a 30% stronger rod while remaining light weight and well balanced.  
\*On average, based on controlled lab testing, compared to identically constructed rods without Powerlux® resin. Results may vary.
- Fenwick custom ergonomic reel seat
- Unique Kigan hook keeper works with any type of bait
- Seaguide® XO guides with sloped stainless steel frames for durability and increased casting performance
- High quality full cork grips for a traditional look and feel
- Limited lifetime warranty



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
<b>CASTING</b>								
TCNA68M-FC	1475076	6'8"	1	Medium	Fast	1/4-5/8	8-15	A
TCNA68MH-XFC	1475077	6'8"	1	Medium Heavy	Extra Fast	3/8-1	10-17	A
TCNA610ML-FC	1475078	6'10"	1	Medium Light	Fast	1/8-5/8	4-10	A
TCNA70M-FC	1475079	7'0"	1	Medium	Fast	1/4-5/8	8-15	B
TCNA70MH-FC	1475080	7'0"	1	Medium Heavy	Fast	3/8-1	10-17	B
TCNA73MH-FC	1478025	7'3"	1	Medium Heavy	Fast	3/8-1	10-17	C
TCNA73H-FC	1475081	7'3"	1	Heavy	Fast	1/2-1 1/2	12-25	C
TCNA76MH-FC	1475082	7'6"	1	Medium Heavy	Fast	3/8-1	10-20	C
TCNA78H-FC	1475083	7'8"	1	Heavy	Fast	1/2-1 1/2	12-25	C
<b>SPINNING</b>								
TCNA58UL-FS-2	1475087	5'8"	2	Ultra Light	Fast	1/32-3/16	2-6	D
TCNA60M-XFS	1475088	6'0"	1	Medium	Extra Fast	1/8-3/4	4-12	E
TCNA63ML-XFS	1475089	6'3"	1	Medium Light	Extra Fast	1/8-5/8	4-10	E
TCNA66ML-FS	1475090	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	G
TCNA66M-FS	1475091	6'6"	1	Medium	Fast	1/8-3/4	4-12	G
TCNA66M-FS-2	1475092	6'6"	2	Medium	Fast	1/8-3/4	4-12	G
TCNA66MH-FS	1475093	6'6"	1	Medium Heavy	Fast	3/8-3/4	8-15	G
TCNA69UL-FS-2	1475094	6'9"	2	Ultra Light	Fast	1/32-3/16	2-6	F
TCNA69L-FS-2	1475095	6'9"	2	Light	Fast	1/32-5/16	4-8	F
TCNA69ML-XFS	1475096	6'9"	1	Medium Light	Extra Fast	1/8-5/8	4-10	G
TCNA69ML-XFS-2	1475097	6'9"	2	Medium Light	Extra Fast	1/8-5/8	4-10	G
TCNA70M-FS	1475098	7'0"	1	Medium	Fast	1/4-5/8	6-12	H
TCNA70MH-FS	1475099	7'0"	1	Medium Heavy	Fast	3/8-3/4	8-15	H
TCNA72L-MFS-2	1475100	7'2"	2	Light	Moderate Fast	1/32-5/16	4-8	G
TCNA72M-XFS	1475101	7'2"	1	Medium	Extra Fast	1/4-5/8	6-12	H
TCNA72M-XFS-2	1475102	7'2"	2	Medium	Extra Fast	1/4-5/8	6-12	H
TCNA73ML-FS	1475103	7'3"	1	Medium Light	Moderate Fast	1/8-5/8	4-10	H
<b>MUSKIE</b>								
TCNA80H-FC	1475084	8'0"	1	Heavy	Fast	2-8	20-50	J
TCNA86H-MFC-2	1475086	8'6"	2	Heavy	Moderate Fast	2-8	20-50	I
TCNA86XH-FC	1475085	8'6"	1	Extra Heavy	Fast	4-12	20-65	J
TCNA90XXH-FC	1478026	9'0"	1	Extra Extra Heavy	Fast	8-18	60-100	K





# ELITE INSHORE

The Elite Inshore rods are back, now featuring 30-Ton Graphite blanks to provide an exceptionally lightweight and sensitive blank. Additionally, Fenwick’s Carbon Core construction utilizes an inner spiral carbon wrap layer on the blank with outer layers of rolled carbon. This construction, along with Fenwick’s Carbon Bound woven carbon twill, increases blank strength and provides a lightweight, strong, and balanced rod. Combined with high quality AAA cork and Fuji® K guides with Alconite inserts, the Fenwick Elite inshore offers a strong, more durable rod that maintains the light weight feel and sensitivity Fenwick rods were crafted for.



- 30-Ton Graphite Blank with Carbon Core
- Fuji® K-Guides with Alconite Inserts
- Sea-Guide® XSS and XCSS Reel Seat with DAN Style Lock Nut
- Premium AAA Grade Cork Handles
- Limited lifetime warranty



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
SPINNING								
ETINS69ML-MFS	1545799	6'9"	1	Medium Light	Moderate Fast	1/16-5/8	6-12lb	A
ETINS70ML-FS	1545800	7'0"	1	Medium Light	Fast	1/16-5/8	6-12lb	A
ETINS70MLSG-FS	1545801	7'0"	1	Medium Light	Fast	1/16-5/8	6-12lb	B
ETINS70M-FS	1545802	7'0"	1	Medium	Fast	1/8-1	8-17lb	A
ETINS70MSG-FS	1545803	7'0"	1	Medium	Fast	1/8-1	8-17lb	B
ETINS70MTRVL-FS-3	1545804	7'0"	3	Medium	Fast	1/8-1	8-17lb	A
ETINS70MH-FS	1545805	7'0"	1	Medium Heavy	Fast	1/2-1 1/2	12-25lb	C
ETINS70H-FS	1545935	7'0"	1	Heavy	Fast	3/4-3	15-40lb	D
ETINS76ML-FS	1545806	7'6"	1	Medium Light	Fast	1/16-5/8	6-12lb	E
ETINS76M-FS	1545807	7'6"	1	Medium	Fast	1/8-1	8-17lb	E
ETINS76MH-FS	1545808	7'6"	1	Medium Heavy	Fast	3/4-2 1/2	15-30lb	F
ETINS80H-FS	1545809	8'0"	1	Heavy	Fast	3/4-3	15-30lb	G
ETINS80XH-FS	1545810	8'0"	1	Extra Heavy	Fast	2-5	20-40lb	H
CASTING								
ETINS70ML-FC	1545811	7'0"	1	Medium Light	Fast	1/16-5/8	6-12lb	I
ETINS70M-FC	1545812	7'0"	1	Medium	Fast	1/8-1	8-17lb	I
ETINS70MSG-FC	1545813	7'0"	1	Medium	Fast	1/8-1	8-17lb	J
ETINS70MH-FC	1545814	7'0"	1	Medium Heavy	Fast	1/2-1 1/2	12-25lb	K
ETINS70H-FC	1545936	7'0"	1	Heavy	Fast	3/4-3	15-40lb	L

\*SG designates split grip models specifically tailored to kayak and wade fishing







# ELITE TECH Walleye

Elite Tech Walleye rods provide increased sensitivity, featuring fast and extra fast tip sections allowing anglers to feel everything. Designed specifically for walleye fishing, every rod in this series allows anglers to take their favorite walleye techniques to the next level. These rods also feature a Hidden Handle Design which offers added comfort and control.



HIDDEN HANDLE  
DESIGN

Ti GUIDES

TAC  
HANDLE

Limited  
Lifetime  
WARRANTY

- Hidden Handle Design reel seat allows function and comfort to co-exist. Added comfort, won't 'feel the threads' like traditional reel seats.
- Titanium frame guides are extremely lightweight and are virtually bulletproof!
- EVA and TAC handle design provides a solid grip even when the handle becomes wet.
- Perfected actions designed specifically for bass fishing.



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
SPINNING								
ETW59M-XFS	1323753	5'9"	1	Medium	Extra Fast	1/8-3/4	4-1	B
ETW63ML-XFS	1323754	6'3"	1	Medium Light	Extra Fast	1/8-5/8	4-10	B
ETW66ML-FS	1323755	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	C
ETW66M-FS	1323756	6'6"	1	Medium	Fast	1/8-3/4	4-12	C
ETW66M-FS-2	1323757	6'6"	2	Medium	Fast	1/8-3/4	4-12	C
ETW69ML-XFS	1323758	6'9"	1	Medium Light	Extra Fast	1/8-5/8	4-10	C
ETW69ML-XFS-2	1323759	6'9"	2	Medium Light	Extra Fast	1/8-5/8	4-10	D
ETW72M-FS	1323760	7'2"	1	Medium	Fast	1/8-3/4	4-12	D
ETW72M-FS-2	1323761	7'2"	2	Medium	Fast	1/8-3/4	4-12	D
ETW72ML-FS	1323762	7'2"	1	Medium Light	Fast	1/8-5/8	4-10	D
ETW76ML-FS	1323763	7'6"	1	Medium Light	Fast	1/8-5/8	4-10	D
CASTING								
ETW70M-MFC	1323764	7'0"	1	Medium	Moderate Fast	1/4-1	8-20	A






# HMG

HIGH MODULUS GRAPHITE

The HMG changed fishing forever as the world’s first graphite rod. The new Fenwick HMG® rods have become even stronger, lighter, and more sensitive than before! Designed with Powerlux® 100 blanks, the Fenwick® HMG® offers uncompromising strength and durability, providing a stronger, lighter, more sensitive rod. The Fenwick® custom designed exposed blank reel seat is designed for added sensitivity and improves comfort for all day fishing. Coupled with stainless steel guides with zirconium inserts and full cork grips, the Fenwick® HMG® is truly a legend reborn.



- Powerlux® 100 delivers a 13% stronger\* rod while remaining light weight and well balanced
  - Fenwick® custom ergonomic reel seat
  - Premium grade cork handles
  - Stainless steel guides with zirconium inserts
  - Lifetime limited warranty
- \*On average, based on controlled lab testing, compared to identically constructed rods without Powerlux® resin. Results may vary.



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
CASTING								
HMGPX66M-FC	1537929	6'6"	1	Medium	Fast	1/4-3/4	8-17lb	A
HMGPX66MH-FC	1537930	6'6"	1	Medium Heavy	Fast	3/8-1	10-20lb	A
HMGPX70M-FC	1537931	7'0"	1	Medium	Fast	1/4-3/4	8-17lb	B
HMGPX70MH-FC	1537932	7'0"	1	Medium Heavy	Fast	3/8-1	10-20lb	B
HMGPX70H-FC	1542159	7'0"	1	Heavy	Fast	1/2-1 1/2	12-25lb	B
HMGPX72M-MFC	1537933	7'2"	1	Medium	Moderate Fast	3/8-1	8-17lb	B
HMGPX72MH-MFC	1542160	7'2"	1	Medium Heavy	Moderate Fast	3/8-1	10-20lb	B
HMGPX76MH-XFC	1537934	7'6"	1	Medium Heavy	Extra Fast	3/8-1	10-20lb	C
HMGPX76H-XFC	1542161	7'6"	1	Heavy	Extra Fast	1/2-1 1/2	12-25lb	C
SPINNING								
HMGPX60L-MS-2	1537935	6'0"	2	Light	Moderate	1/16-3/8	4-8	D
HMGPX60ML-FS	1537936	6'0"	1	Medium Light	Fast	1/8-5/8	6-12	D
HMGPX60M-FS	1537937	6'0"	1	Medium	Fast	1/4-3/4	8-14	D
HMGPX60M-FS-2	1537938	6'0"	2	Medium	Fast	1/4-3/4	8-14	D
HMGPX66L-MFS-2	1537939	6'6"	2	Light	Moderate Fast	1/16-3/8	4-8	E
HMGPX66ML-FS	1552523	6'6"	1	Medium Light	Fast	1/8-5/8	6-12	E
HMGPX66ML-FS-2	1552522	6'6"	2	Medium Light	Fast	1/8-5/8	6-12	E
HMGPX66M-FS	1537940	6'6"	1	Medium	Fast	1/4-3/4	8-14	E
HMGPX66M-FS-2	1537941	6'6"	2	Medium	Fast	1/4-3/4	8-14	E
HMGPX66MH-FS	1537942	6'6"	1	Medium Heavy	Fast	3/8-1	10-17	E
HMGPX69ML-FS	1537943	6'9"	1	Medium Light	Fast	1/8-5/8	6-12	E
HMGPX69ML-FS-2	1537944	6'9"	2	Medium Light	Fast	1/8-5/8	6-12	E
HMGPX70UL-MS-2	1537945	7'0"	2	Ultra Light	Moderate	1/32-1/4	2-6	F
HMGPX70ML-FS	1537946	7'0"	1	Medium Light	Fast	1/8-5/8	6-12	F
HMGPX70M-FS	1537947	7'0"	1	Medium	Fast	1/4-3/4	8-14	F
HMGPX70M-FS-2	1537948	7'0"	2	Medium	Fast	1/4-3/4	8-14	F
HMGPX70MH-FS	1537949	7'0"	1	Medium Heavy	Fast	3/8-1	10-17	F
HMGPX76L-MFS-2	1537950	7'6"	2	Light	Moderate Fast	1/8-5/8	4-8	F
HMGPX76ML-FS	1537951	7'6"	1	Medium Light	Fast	1/8-5/8	6-12	G
TRAVEL CASTING								
HMGPX70M/MH-FC3	1537953	7'0"	3+1	Med   Med Heavy	Fast	1/4-3/4 3/8-1	8-17/10-20	B
TRAVEL SPINNING								
HMGPX70ML/M-FS3	1537952	7'0"	3+1	Med Light   Med	Fast	1/8-5/8 1/4-3/4	6-12/8-14	F





# HMG inshore

Over the years, the Fenwick® HMG® series has been a staple product for the freshwater angler. Fenwick now offers the same quality of the freshwater HMG, but with actions and components specifically built for inshore anglers. These rods are carefully crafted with the power and control needed to handle all inshore species, from small back-creek trout, to beach-cruising tarpon. 30 Ton Graphite blanks, Fuji® Alconite guides, and premium cork handles give the HMG Inshore the look and feel of rods costing twice as much. Feel the Action!



- 30 Ton Graphite Blanks
- Carbon Bound blanks are spiraled with carbon thread for additional strength and precise action
- Fuji® Guides with stainless steel deep-pressed frames with Alconite inserts
- Sea-Guide Soft Touch Alien Reel Seat with Positive Lock design provides a secure platform for all reels
- AAA Cork full grip handle
- Available in 3 split grip models tailored to the needs of kayak and wade fishing anglers.



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
SPINNING								
HMGIN70ML-FS	1522231	7'0"	1	Medium Light	Fast	1/16-5/8	6-12	A
HMGINSG70ML-FS	1522232	7'0"	1	Medium Light	Fast	1/16-5/8	6-12	B
HMGIN70M-FS	1522233	7'0"	1	Medium	Fast	1/8-1	8-20	A
HMGINSG70M-FS	1522234	7'0"	1	Medium	Fast	1/8-1	8-20	B
HMGIN70M-FS-2	1522235	7'0"	2	Medium	Fast	1/8-1	8-20	A
HMGIN70MH-FS	1522236	7'0"	1	Medium Heavy	Fast	1/2-1 1/2	12-25	C
HMGIN76ML-FS	1522237	7'6"	1	Medium Light	Fast	1/16-5/8	6-12	C
HMGIN76M-FS	1522238	7'6"	1	Medium	Fast	1/8-1	8-20	C
HMGIN76MH-FS	1522239	7'6"	1	Medium Heavy	Fast	3/4-2 1/2	15-30	D
HMGIN80H-FS	1522240	8'0"	1	Heavy	Fast	3/4-3	15-30	D
HMGIN80XH-FS	1522241	8'0"	1	Extra Heavy	Fast	2-5	20-40	E
CASTING								
HMGIN70M-FC	1522242	7'0"	1	Medium	Fast	1/8-1	8-20	F
HMGINSG70M-FC	1522243	7'0"	1	Medium	Fast	1/8-1	8-20	G
HMGIN70MH-FC	1522244	7'0"	1	Medium Heavy	Fast	1/2-1 1/2	12-25	H
HMGIN70H-FC	1522245	7'0"	1	Heavy	Fast	3/4-3	15-40	I

\*SG designates split grip models specifically tailored to kayak and wade fishing





# HMX

The tradition continues with the HMX series from Fenwick. Constructed from a proprietary blend of carbon fiber, the refined HMX actions offer incredible power, balance and sensitivity. Each rod in the series has been perfectly crafted to meet all anglers’ needs from ultralight to extra heavy salmon/steelhead models, and everything in between.



- Smooth intermediate modulus carbon fiber blank
- Fuji® reel skeleton and full reel seats
- Sea Guide SS316 Stainless sloped guides with Zirconium inserts
- Premium Cork and TAC grips in split and full handle model
- 5 Year Limited Warranty



## HANDLE TYPES



MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
SPINNING								
HMX50UL-MFS	1383220	5'0"	1	Ultra Light	Moderate Fast	1/32-1/4	1-6	D
HMX56UL-MFS-2	1383221	5'6"	2	Ultra Light	Moderate Fast	1/32-1/4	1-6	D
HMX60L-MFS-2	1383222	6'0"	2	Light	Moderate Fast	1/16-1/2	2-8	E
HMX60ML-MFS	1383223	6'0"	1	Medium Light	Moderate Fast	1/8-5/8	4-10	E
HMX60M-FS	1383224	6'0"	1	Medium	Fast	1/8-3/4	6-12	E
HMX66L-MS-2	1383225	6'6"	2	Light	Moderate	1/16-1/2	4-8	F
HMX66ML-FS	1383226	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	F
HMX66ML-MFS-2	1383227	6'6"	2	Medium Light	Fast	1/8-5/8	4-10	F
HMX66M-FS	1383228	6'6"	1	Medium	Fast	1/4-3/4	4-10	F
HMX66M-FS-2	1383229	6'6"	2	Medium	Fast	1/4-3/4	8-14	F
HMX66MH-FS-2	1383231	6'6"	2	Medium Heavy	Fast	3/8-1	10-17	F
HMX70ML-FS	1383232	7'0"	1	Medium Light	Fast	1/8-5/8	10-17	G
HMX70ML-FS-2	1383233	7'0"	2	Medium Light	Fast	1/8-5/8	6-12	G
HMX70M-FS	1383234	7'0"	1	Medium	Fast	1/4-3/4	6-12	G
HMX70M-FS-2	1383235	7'0"	2	Medium	Fast	1/4-3/4	8-14	G
HMX76L-MFS-2	1383236	7'6"	2	Light	Moderate Fast	1/32-1/4	1-6	G
CASTING								
HMX66M-FC	1383237	6'6"	1	Medium	Fast	1/4-3/4	8-17	A
HMX66MH-FC	1383238	6'6"	1	Medium Heavy	Fast	3/8-1	10-20	A
HMX70M-FC	1383239	7'0"	1	Medium	Fast	1/4-3/4	8-17	B
HMX70MH-FC	1383240	7'0"	1	Medium Heavy	Fast	1/4-3/4	8-17	B
HMX76H-FC	1383243	7'6"	1	Heavy	Fast	1/2-1 1/2	15-30	C
SALMON/STEELHEAD SPINNING								
HMX86M-MS-2	1383244	8'6"	2	Medium	Moderate	3/8-1	8-15	H
HMX86MH-FS-2	1383245	8'6"	2	Medium Heavy	Fast	1/2-1 1/4	12-25	H
HMX9ML-MS-2	1383246	9'0"	2	Medium Light	Moderate	1/4-5/8	4-10	H
HMX9M-MS-2	1383247	9'0"	2	Medium	Moderate	3/8-1	8-15	H
HMX96ML-MS-2	1383248	9'6"	2	Medium Light	Moderate	1/4-3/4	4-10	H
HMX96M-MFS-2	1383249	9'6"	2	Medium	Moderate Fast	3/8-1	8-15	H
HMX106L-MS-2	1383250	10'6"	2	Light	Moderate	1/8-5/8	4-10	I
HMX106M-MFS-2	1383251	10'6"	2	Medium	Moderate Fast	3/8-1	8-15	H
HMX126UL-MS-2	1383252	12'6"	2	Ultra Light	Moderate	1/16-1/2	4-10	H
SALMON/STEELHEAD CASTING								
HMX9MH-MC-2	1383257	9'0"	2	Medium Heavy	Moderate	1/2-3	15-45	K
HMX10MH-MC-2	1383258	10'0"	2	Medium Heavy	Moderate	1/2-4	10-25	K
HMX113MH-MC-2	1383260	11'3"	2	Medium Heavy	Moderate	1/2-4	10-25	K
SALMON/STEELHEAD MOOCHING								
HMXM106M-MF-2	1383262	10'6"	2	Medium	Moderate Fast	3/8-1	10-25	M
HMXM106MH-MF-2	1383263	10'6"	2	Medium Heavy	Moderate Fast	3/8-1 1/2	12-30	M





FENWICK





# EAGLE®

Representing the rich rod building history of Fenwick®, the Fenwick® Eagle® rod series features proven Classic Fenwick Actions for targeting nearly any species. Built from 24 Ton graphite and with the accumulated knowledge of seventy years of tinkering and testing with the best, the Fenwick Eagle series connects tradition and technology. Upgraded stainless steel guides with aluminum oxide inserts provide increased casting performance with less friction, while the blank through construction and minimal reel seat transmit even the lightest bites.

TAC  
HANDLE.

SS  
GUIDES

Classic Fenwick  
Actions

- Premium Cork and TAC grips
- Stainless steel guides with aluminum oxide inserts
- Ergonomic minimal reel seat
- Classic Fenwick Actions - time tested and proven from the original graphite rod company
- 5 year limited warranty



Chart on next page



FENWICK





MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT (oz)	LINE WT (lb)	HANDLE
CASTING								
EAG66M-FC	1520349	6'6"	1	Medium	Fast	1/4-3/4	8-17lb	H
EAG66M-FC-2	1520350	6'6"	2	Medium	Fast	1/4-3/4	8-17lb	H
EAG66MH-FC	1520351	6'6"	1	Medium Heavy	Fast	3/8-1	10-20lb	H
EAG70M-FC	1520352	7'0"	1	Medium	Fast	1/4-3/4	8-17lb	I
EAG70MH-FC	1520353	7'0"	1	Medium Heavy	Fast	1/4-1	10-20lb	I
SPINNING								
EAG50L-MS	1520354	5'0"	1	Light	Moderate	1/16-3/8	2-8	A
EAG56UL-MS-2	1520355	5'6"	2	Ultra Light	Moderate	1/32-1/4	1-6	B
EAG56MH-MFS-2	1520356	5'6"	2	Medium Heavy	Moderate Fast	1/4-1	8-17	B
EAG60L-MS	1520357	6'0"	1	Light	Moderate	1/16-3/8	2-8	C
EAG60L-MS-2	1520358	6'0"	2	Light	Moderate	1/16-3/8	2-8	C
EAG60ML-MFS	1520399	6'0"	1	Medium Light	Moderate Fast	1/8-5/8	4-10	C
EAG60M-MFS	1520400	6'0"	1	Medium	Moderate Fast	1/8-3/4	6-12	C
EAG60M-MFS-2	1520401	6'0"	2	Medium	Moderate Fast	1/8-3/4	6-12	C
EAG66L-MS-2	1520402	6'6"	2	Light	Moderate	1/16-3/8	2-8	C
EAG66ML-FS	1520403	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	C
EAG66M-FS	1520404	6'6"	1	Medium	Fast	1/8-3/4	6-12	C
EAG66M-FS-2	1520405	6'6"	2	Medium	Fast	1/8-3/4	6-12	C
EAG66MH-FS	1520406	6'6"	1	Medium Heavy	Fast	1/4-1	8-17	C
EAG66MH-FS-2	1520407	6'6"	2	Medium Heavy	Fast	1/4-1	8-17	C
EAG70UL-MS-2	1520408	7'0"	2	Ultra Light	Moderate	1/32-1/4	1-6	D
EAG70L-MS	1520369	7'0"	1	Light	Moderate	1/16-3/8	2-8	D
EAG70ML-MFS	1520370	7'0"	1	Medium Light	Moderate Fast	1/8-5/8	4-10	D
EAG70ML-MFS-2	1520371	7'0"	2	Medium Light	Moderate Fast	1/8-5/8	4-10	D
EAG70M-FS	1520372	7'0"	1	Medium	Fast	1/8-3/4	6-12	D
EAG70M-FS-2	1520373	7'0"	2	Medium	Fast	1/8-3/4	6-12	D
EAG70MH-FS	1520374	7'0"	1	Medium Heavy	Fast	1/4-1	8-17	D
EAG76UL-MS-2	1520375	7'6"	2	Ultra Light	Moderate	1/32-1/4	1-6	D
EAG80UL-MS-2	1520376	8'0"	2	Ultra Light	Moderate	1/32-1/4	1-6	D
SALMON STEELHEAD CASTING								
EAG76UL-MC-2	1520395	7'6"	2	Ultra Light	Moderate	1/32-1/4	1-6	J
EAG80UL-MC-2	1520419	8'0"	2	Ultra Light	Moderate	1/32-1/4	1-6	J
EAG86M-MFC-2	1520377	8'6"	2	Medium	Moderate Fast	3/8-1	8-15	L
EAG90M-MC-2	1520409	9'0"	2	Medium	Moderate	3/8-2	10-20	L
EAG96M-MFC-2	1520410	9'6"	2	Medium	Moderate Fast	3/8-2	10-20	M
EAG10MH-MC-2	1520411	10'0"	2	Medium Heavy	Moderate	1/2-4	12-25	L
EAG106MH-MC-2	1520412	10'6"	2	Medium Heavy	Moderate	1-6	15-30	L
EAGDR-90MH-MC-2	1520413	9'0"	2	Medium Heavy	Moderate	1-4	12-30	L
EAGM-106MH-MC-2	1520414	10'6"	2	Medium Heavy	Moderate	1-6	12-25	N
SALMON STEELHEAD SPINNING								
EAG86M-MFS-2	1520415	8'6"	2	Medium	Moderate Fast	3/8-1	8-15	K
EAG90M-MS-2	1520416	9'0"	2	Medium	Moderate	3/8-1	10-20	K
EAG96M-MS-2	1520417	9'6"	2	Medium	Moderate	3/8-1	10-20	K
EAG106MH-MS-2	1520418	10'6"	2	Medium Heavy	Moderate	3/8-1 1/4	10-20	K
TRAVEL								
EAG60ML-FS-3	1520388	6'0"	3	Medium Light	Fast	1/8-5/8	4-10	E
EAG66L-MFS-3	1520389	6'6"	3	Light	Moderate Fast	1/16-3/8	2-8	E
EAG66M-FS-3	1520390	6'6"	3	Medium	Fast	1/4-3/4	6-14	E
EAG70ML-MFS-4	1520391	7'0"	4	Medium Light	Moderate Fast	1/8-5/8	4-10	F
EAG86M-MS-4	1520392	8'6"	4	Medium	Moderate	3/8-3/4	8-20	G
TELESCOPIC TROLLING								
EAG710M-MC-T	1520393	7'10"	Tele	Medium	Moderate	1/4-1	10-20	O
EAG86M-MFC-T	1520394	8'6"	Tele	Medium	Moderate Fast	1/4-1	10-20	P

HANDLE TYPES







# AETOS™

The next generation of AETOS™ fly rods includes extensive range of high performance, modern fly rods including single handed, double handed and switch models. The new AETOS series features redesigned blanks constructed of proprietary nano blank technology, making the rods lighter and stronger than standard carbon fiber.



- Nano composite technology used in blank construction
- Fast action
- Two tone anodised aluminum reel seat with woven carbon spacer
- AAA grade cork grips with composite cork tippings
- Stealthy black satin blank finish
- Rod ID line up marks
- 4 piece construction
- Complete with cloth rod bag and protective rod tube
- 5 year limited warranty

MODEL #	SAP #	LENGTH	RATING	HANDLE	WEIGHT (oz)
FLY					
AF603-4	1521771	6'0"	#3	RHW	2.4
AF664-4	1521772	6'6"	#4	RHW	2.5
AF703-4	1521773	7'0"	#3	RHW	2.5
AF705-4	1521774	7'0"	#5	RHW	2.9
AF804-4	1521775	8'0"	#4	RHW	2.9
AF864-4	1521776	8'6"	#4	RHW	3.1
AF865-4	1521777	8'6"	#5	RHW	3.2
AF905-4	1521778	9'0"	#5	RHW	3.2
AF906-4	1521779	9'0"	#6	RHW	3.5
AF907-4	1521780	9'0"	#7	FW+EH	4.2
AF908-4	1521781	9'0"	#8	FW+EH	4.4
AF966-4	1521782	9'6"	#6	FW+EH	4.2
AF967-4	1521783	9'6"	#7	FW+EH	4.5
AF968-4	1521784	9'6"	#8	FW+EH	4.6
AF1003-4	1521785	10'0"	#3	RHW+EH	3.6
AF1004-4	1521786	10'0"	#4	RHW+EH	3.7
AF1005-4	1521787	10'0"	#5	RHW+EH	3.8
AF1006-4	1521788	10'0"	#6	FW+EH	4.3
AF1007-4	1521789	10'0"	#7	FW+EH	4.5
AF1008-4	1521790	10'0"	#8	FW+EH	4.7
AF11167-4	1521791	11'1"	#6/7	TPSF	5.8
AF11178-4	1521792	11'1"	#7/8	TPSF	5.9
AF11189-4	1521793	11'1"	#8/9	TPSF	6.0
AF13089-4	1521794	13'0"	#8/9	TPSF	9.8
AF140910-4	1521795	14'0"	#9/10	TPSF	11.7







# HMG

The HMG® fly rod series is a continuation of the legendary HMG fly rod that changed fishing forever over 50 years ago. The HMG series is the first step into the faster action rods offered by Fenwick®. The lightweight, comfortable construction is designed for faster line speeds while requiring minimal casting effort.



- Medium fast action blank
- High Intermediate modulus carbon blank
- Rod line up marks
- AAA grade cork handle
- Anodised Aluminium saltwater safe reel seat with twin locking nuts
- Protective rod tube
- 5 year limited warranty

MODEL #	SAP #	LENGTH	RATING	HANDLE	WEIGHT (oz)
FLY					
HMGF763-4	1521760	7'6"	3	RHW	2.5
HMGF804-4	1521761	8'0"	4	RHW	2.7
HMGF865-4	1521762	8'6"	5	RHW	3.2
HMGF905-4	1521763	9'0"	5	RHW	3.3
HMGF906-4	1521764	9'0"	6	RHW	3.9
HMGF908-4	1521765	9'0"	8	FW+EH	3.9



# EAGLE®

The Fenwick® Eagle® series represents our rich heritage as a premiere rod builder featuring our most classic, time tested and proven actions for all species. Every model is built from over 60 years of tinkering, testing, and knowledge gained from our extensive field test teams. The Fenwick® Eagle® series continues to improve connecting tradition with modern components and lightweight comfortable designs. FEEL THE ACTION™ and fish the legendary Eagle®.

## Classic Fenwick Actions

- Classic Fenwick Actions: time tested and proven from the original graphite rod company
- Hard chrome stripper and snake guides
- 4-section blank with woven carbon detail
- Reel seat: woven carbon spacer with aluminum up-lock
- High quality, lightweight cork handle
- Supplied with Fenwick travel tube
- 5 year limited warranty

MODEL #	SAP #	LENGTH	RATING	HANDLE	WEIGHT (oz)
FLY					
EAFLY804WT-4	1321235	8'0"	#4	RHW	3.7
EAFLY865WT-4	1321236	8'6"	#5	RHW	3.9
EAFLY905WT-4	1321237	9'0"	#5	RHW	4.1
EAFLY906WT-4	1321238	9'0"	#6	RHW	4.3
EAFLY908WT-4	1321239	9'0"	#8	FW+EH	4.6



HMG FLY ROD  
EAGLE FLY ROD

FENWICK





# EAGLE® XP

The new Eagle XP fly outfit is a high performance fly fishing kit featuring Fenwick®’s new Eagle XP fast action rod series, matching large arbour fly reel, and twin colour WF floating fly line.

- Fenwick Eagle XP fast action fly rod
- Diecast large arbor disc drag fly reel pre-spooled with backing, weight forward twin colour fly line, and leader
- Protective rod and reel case
- 5 year limited warranty



MODEL #	SAP #	LENGTH	RATING	HANDLE	REEL SIZE
FLY					
EXPF804-CBO	1521796	8'0"	#4	RHW	5/6
EXPF905-CBO	1521797	9'0"	#5	RHW	5/6
EXPF906-CBO	1521798	9'0"	#6	RHW	5/6
EXPF908-CBO	1521799	9'0"	#8	FW+EH	7/8



RHW

FW+EH

# EAGLE® X

The Eagle® X fly outfit is an all purpose fly fishing kit featuring Fenwick’s new Eagle® X medium fast rod series.

- Medium fast action fly rod
- Die-cast large arbor disc drag fly reel pre-spooled with backing, weight forward fly line, and leader
- Protective rod and reel case
- 5 year limited warranty



MODEL #	SAP #	LENGTH	RATING	HANDLE	REEL SIZE
FLY					
EXF905-CBO	1521804	9'0"	#5	RHW	5/6
EXF906-CBO	1521805	9'0"	#6	RHW	5/6
EXF908-CBO	1521807	9'0"	#8	FW+EH	7/8



RHW

FW+EH

# NIGHTHAWK™ X

A quality introductory fly kit featuring a lightweight, easy to cast Fenwick® Nighthawk X fly rod and composite fly reel. Perfect for beginner fly anglers.

- Fenwick medium action fly rod
- Lightweight composite fly reel pre-spooled with backing, weight forward fly line, and leader
- 1 year limited warranty



MODEL #	SAP #	LENGTH	RATING	HANDLE	REEL SIZE
FLY					
NHXF905-CBO	1521808	9'0"	#5	RHW	5/6
NHXF908-CBO	1521809	9'0"	#8	FW+EH	7/8



RHW

FW+EH





FEEL EVERYTHING™

WWW.FENWICKFISHING.COM  
7 SCIENCE COURT • COLUMBIA SC 29203  
PURE FISHING, INC.